Appln. No. 09/953,858 Amendment dated December 16, 2004 Reply to Office Action of July 23, 2004

## Amendments to the Claims:

Please amend claims 1 and 3 as follows. The following listing of claims will replace all prior versions, and listings, of claims in the application.

## Listing of Claims:

5

10

Claim 1 (Currently Amended). An image data acquisition method comprising:

scanning a sample, which includes a plurality of spots on a substrate, with a light beam;

acquiring scanned image data <u>for each of a plurality of</u>

<u>regions into which the substrate is divided</u> by receiving light

from the sample;

sequentially obtaining the acquired scanned image data of one divided region obtained by scanning a region of a predetermined size every time a region scanned with the light reaches a predetermined size of said one divided region, the region having a plurality of scanning lines including a start scanning line and a stop scanning line, the stop scanning line determining a boundary with respect to a next divided region; and

Appln. No. 09/955,858 Amendment dated December 16, 2004 Reply to Office Action of July 23, 2004

15

20

determining a fluorescence intensity of at least the stop scanning line, wherein if the fluorescence intensity of the stop scanning line is greater than a predetermined threshold, a position of the stop scanning line is adjusted such that the fluorescence intensity of the adjusted stop scanning line is less than the predetermined threshold wherein the boundary of the divided region adjusted stop scanning line does not overlap with the plurality of spots on the substrate.

Claim 2 (Cancelled).

Claim 3 (Currently Amended). The image data acquisition method according to claim 2 1, wherein the sequentially stored acquired scanned image data is stored by adding position information regarding respective scanning regions thereto.

Claim 4 (Previously Presented). The image data acquisition method according to claim 1, wherein the sample is a DNA microarray in which a plurality of spots are arranged as a measurement object.

Appln. No. 09/955,858 Amendment dated December 16, 2004 Reply to Office Action of July 23, 2004

5

5

5

Claim 5 (Previously Presented). The image data acquisition method according to claim 1, wherein the scanning by the light beam is performed by main scanning and sub-scanning in a direction orthogonal to the main scanning, and the size of the scanning region is adjusted by regulating the number of scanning lines during the main scanning.

Claim 6 (Previously Presented). The image data acquisition method according to claim 1, wherein an analysis processing is executed for the stored scanned image data in parallel with scanning of a next region when the storage of the scanned image data is complete.

Claim 7 (Cancelled).

Claim 8 (Previously Presented). The image data acquisition method according to claim 1, wherein the scanning by the light beam is carried out by main scanning and sub-scanning in a direction orthogonal to the main scanning, and both of the main scanning and the sub-scanning are carried out by moving the sample.

Appln. No. 09/955,858 Amendment dated December 16, 2004 Reply to Office Action of July 23, 2004

5

Claim 9 (Previously Presented). The image data acquisition method according to claim 1, wherein the scanning by the light beam is carried out by main scanning and sub-scanning in a direction orthogonal to the main scanning, and the main scanning is conducted with an optical scanner.